



FRP Fiberglass Floor Support Beams

Deba Brothers® is a leading China FRP Fiberglass Floor Support Beams manufacturers. Environmental protection and corrosion resistance. Strong bearing capacity and durable. FRP fiberglass floor support beams generally used in conjunction with the floor, used to support the breeding fence, such as farrowing crate, nursery crate.

Product Description

As the professional manufacturers, Deba Brothers® would like to provide you FRP Fiberglass Floor Support Beams. The FRP fiberglass floor support beams produced by Deba Brothers® can support the weight of the sow and the farrowing crate. The FRP fiberglass floor support beams is used at the bottom of the farrowing crate to support it. There are many shapes of FRP fiberglass floor support beams, which can be selected according to the needs of customers.

| T type fiberglass beam100*25*5.5mm120*25*5.5mm120*25*5.5mmMiddle-hollow type fiberglass beam80*30*5.5mm100*30*5.5mm120*30*5.5mmTriangular fiberglass beam80*30*5.5mm100*45*5.5mm100*45*5.5mm | Name | Standard sizes |
|--|------------------------------------|----------------|
| 120*25*5.5mmMiddle-hollow type fiberglass beam80*30*5.5mm100*30*5.5mm120*30*5.5mm120*30*5.5mm80*30*5.5mmTriangular fiberglass beam100*45*5.5mm | T type fiberglass beam | 100*25*5.5mm |
| Middle-hollow type fiberglass beam 100*30*5.5mm 120*30*5.5mm 120*30*5.5mm Triangular fiberglass beam 80*30*5.5mm 100*45*5.5mm 100*45*5.5mm | | 120*25*5.5mm |
| 120*30*5.5mm 80*30*5.5mm Triangular fiberglass beam 100*45*5.5mm | Middle-hollow type fiberglass beam | 80*30*5.5mm |
| Triangular fiberglass beam 80*30*5.5mm 100*45*5.5mm | | 100*30*5.5mm |
| Triangular fiberglass beam 100*45*5.5mm | | 120*30*5.5mm |
| | Triangular fiberglass beam | 80*30*5.5mm |
| 120*35*5.5mm | | 100*45*5.5mm |
| | | 120*35*5.5mm |

FRP Fiberglass Floor Support Beams Specification

FRP Fiberglass Floor Support Beams Advantage

1.Environmental protection, corrosion resistance, good disinfection, strong bearing capacity, fire retardant, insulation flame retardant, insulation and heat insulation.



2.Anti-aging installation and disassembly are simple and convenient, the length can be customized.

3. Good resistance to chemical and environmental media corrosion.

4. High strength, light weight, impact resistance.

5.Insulation, good permeability.

6.Anti-aging, long life, maintenance-free.

7.Fire retardant, insulation.

8.Installation, cutting convenient and fast.

9.Can be designed, beautiful appearance.

FRP Fiberglass Floor Support Beams details

1.4mm thick: Strong bearing capacity and durable.

2.FRP material: Environmentally friendly and durable.

3.Beautiful/Practical/Simple: Professional team installation.












www.qddebabrother.com

Beautiful / Practical / Simple

Professional team installation







PRODUCT DETAILS



Environmental protection, corrosion resistance, good disinfection, strong bearing capacity, fire retardant, insulation flame retardant, insulation and heat insulation.



